



Studio Theatre Tech Spec Sheet

Updated June 2021

Designed for flexibility and user-friendliness, the two-storey Studio Theatre can be a light-filled event space with a century-old sandstone feature wall or converted to a fully darkened performance space in minutes. Additional versatility comes from retractable seating, a sprung vinyl floor and vertical-drop acoustic wall to diminish the space in half. The Studio Theatre is supported with a dedicated control booth to manage theatrical lighting, sound and projection systems. A ticketing booth/bar, green room with shower, lobby and outdoor courtyard may be rented in conjunction with this space. Theatre and support spaces (except the control booth) are fully accessible.

Overall Space Dimensions Studio Theatre

Square Footage – 1,344 sq ft (24' by 56' dimensions for useable space inside mechanical floor grates)

North Studio

Square Footage – 552sqft (24' by 23' dimensions for useable space inside mechanical floor grates)

South Studio

Square Footage – 768sqft (22' by 32' dimensions for useable space inside mechanical floor grates)

Skyfold Acoustic Wall

A motorized acoustic Skyfold wall may be used to divide the Studio Theatre into the North and South Studio spaces.

- STC rating of 54 for acoustic mitigation
- Black fabric finish

Note: Two personnel required to lower Skyfold wall

Capacity Studio Theatre

- Maximum Occupancy – 200 stand-up (150 w/ALCB License)
- Maximum Theatre Seating – 138 (raked retractable seating unit: 68 + floor seating 70)
- Maximum Theatre Seating with screen - 128 (raked retractable seating unit: 68 + floor seating 60)



- Raked retractable seating can be deployed in rows of 8, 16, 24, 32, 40, 48, 56, or 68 seats (one row of 8 on floor) and complemented with up to 100 loose studio chairs to serve customized seating arrangements
- Banquet Seating – 96 based on 12 - 8'-0" round tables with 8 chairs

North Studio

- Maximum Occupancy – 80 stand-up (60 w/ALCB License)
- Maximum Theatre Seating – 48 (raked retractable seating unit)
- Maximum Theatre Seating with screen - 40 (raked retractable seating unit)

South Studio

- Maximum Occupancy – 120 stand-up (90 w/ALCB License)
- Maximum Theatre Seating – 70 floor seating

Theatre Features

Floor Surface

Studio Theatre is provisioned with a sprung wooden floor with dark-grey vinyl flooring. No screwing into the floor is permitted.

Grid and Strong Points

Bottom of schedule 40 pipe grid is set at 6000mm (19'-8") above the finished floor. Spacing is 1500mm (5'- 0") typical.

- Pipe live load: 45kg/m
- Impact factor: (25%): 11.25kg/m
- Pipe Max load: 56.25kg/m There are 15 one tonne rigging strong points.
- Loading on each point is 900kg point load with 25% impact factor.

Natural Light and Room Darkening

The cSPACE Studio Theatre has natural light with blackout capability. The theatre has motorized external louvres for the building's energy efficiency system, interior blackout blinds and velour drapes. The glazed windows into the theatre may be left open to natural light, partially darkened by blinds, or fully transformed into a "black box" space with use of the drapes. The room darkening devices can all be adapted to meet the needs of each user through iPad control or refined with assistance of a technician. A viewing window from the level 2 corridor into the studio may be controlled for privacy as required.



Additional Loose Drapes

- Velour Drape Leg Panels - 234" High by 96" Wide - 6
- Velour Border Panel - 24" High by 300" Wide - 1
- Schedule 40 " by 10'-6" pipe - 6
- Schedule 40 " by 7' pipe - 2

Note: There is no in-house equipment (i.e. cheeseboroughs) or extensive rigging expertise.

Pipe and Drape

- Velour 7'-6" High by 5' (with fullness) up to 10' (without fullness) Wide - 4

Note: Pipe and drape mask retractable seating unit and are only available when theatre seating is deployed.

Theatre Lighting

The Studio Theatre is equipped with a flexible arrangement of architectural house lights, linear feature lights on historic sandstone, and theatrical luminaires that can be recalled with basic presets on iPad/Paradigm consoles or controlled and customised by a technician via the ETC lighting console.

Architectural Lighting

- LED colour-changing DMX house lights - 21 (South Studio - 12; North Studio - 9)
- Interior sandstone feature wall lit with colour-changing linear LED DMX wash - approximately 40'-0'
- Paradigm touchscreens for house lighting control

Theatrical Lighting House Plot

Theatrical lights are focused in a house plot arrangement of 9 areas (3 areas stage left to right, 3 areas upstage to downstage) in the South Studio space. The North Studio space has 3 wash areas. Most theatrical instruments, accessories and cable are in use by house plot. Theatrical lights may be re-hung but the time/cost to restore the house plot will be the responsibility of Client. Please confirm any requirements during technical assessment.

Lighting Console



- Ion Xe 20 Console
- Portable DMX Gateway - 2

Theatrical Lighting Instruments

- Colorsource Spot with Barrel - 22
 - 36 deg lens tube - 22
 - 26 deg lens tube - 2
- Colorsource Par - 18
 - Medium Round Diffuser - 18
 - Wide Round Diffuser - 18

Note: Entire inventory of LED instruments are in use with the house lighting plot.

Accessories

- Barn-door - 12
- Drop-in Iris - 4
- Floor Mounts - 4

Note: In house accessories are mainly in use with house lighting plot.

Cable

- Edison two-fer - 15
- 10' Powercon jumper - 20
- 25' Powercon Jumper Cable - 20
- 3' grey powercon to Edison Connector - 19
- 3' blue powercon to Edison Plug - 16
- 5' DMX Cable - 5
- 10' DMX Cable - 15
- 15' DMX Cable - 15
- 25' DMX Cable - 15
- 25' Edison cable - 6
- 15' Edison cable - 6

Note: In house cable is mainly in use with house lighting plot.



Cinema Projection

Projection infrastructure allows for screening of multi-format content to a 20' screen in the South Studio or to a 8' screen in the North Studio when the theatre is divided using the skyfold acoustic wall. Video inputs consist of HDMI and analog VGA (with program audio). These are located in 4 floor boxes, a wall plate, and on the audio control desk in the Control Room.

Each set of inputs include a transmitter that converts HDMI or analog VGA into digital video that is transported over shielded CAT6 cable to the digital video router in the Control Room. General users can use iPad touchscreens to route video signals from the theatre.

There is a 22" LCD display to allow users in the Control Room to monitor digital video signals going to any projector in the Event Space. Selection of sources to monitor can be made through a 10-inch LCD remote control touchscreen in the Control Room. There is a Dolby integrated media server for DCP content.

- Christie Digital Cinema CP2208-LP 2K Laser Phosphor Projector with motorized lens (12K lumens)
- Dolby IMS 2000 - Integrated Media Server
- Gefen Pro III Video Scaler & Digital Media Adapter
- Oppo Digital UDP-203 4K Ultra HD Blu-ray Disc Player
- 20' x 10' 10" Matte White Motorized Drop Down Screen (Studio Theatre)
- 8.2' x 4.92' Matte White Motorized Drop Down Screen (North Studio)

Note: There is currently no media cueing device or software and this must be client supplied.

Cinema Sound Equipment

The Studio Theatre is equipped with a Dolby CP750 Digital Sound Processor delivering 7.1 surround sound through 11 wall, grid and ceiling mounted PK speakers.

- PK Klarity 8 700 Watt 2-way 8" Loudspeaker - 6
- PK Klarity 12 700 Watt 2-way 12" Multipurpose Loudspeaker - 3
- PK Klarity 18 1000 Watt 2-way 18" Subwoofer - 2



Sound Equipment

The Studio Theatre AV system is designed and built to be easy to operate for basic use, while also provisioned with specialized AV equipment that requires technical support.

- Apple IPAD remote control touch screens provide users a convenient way of controlling complex AV system functions - 2
- Crestron TPMC-9-B - 9" Tilt Touch Screen in control booth - 1

Sound Inputs and Outputs

- Each floor box includes a 1/8" program audio and 2 microphone inputs - 4
- The wall box on the south side has 1/8" program audio, 4 microphone and 2 audio line level inputs
- The wall box on the south side has 2 line level outputs

Signal Management

All input and output signals including program audio sources go through a digital signal processor. The digital signal processor (DSP) provides facilities for automatic mixing, routing, and processing. All inputs and outputs are patched to the DSP unit through patch bays. Audio signals can also be controlled via in-house or external digital mixing consoles. The outputs of the digital mixing consoles can then be manually routed to any of the audio outputs in the wall box on the south wall.

Program Audio Monitor

There is a program audio monitor panel in the desktop rack in the Control Room to allow users to monitor program audio in either half of the Event Space (when divided) or the entire combined Event Space. Users can select which channel or side they want to monitor on the front panel of the audio monitor panel.

Sound Console

- DiGiCo X-S21 sound console
- D-Rack Stage Box w/32 microphone inputs, 8 line outputs and 8 modular outputs

House Speakers

The house speaker installation supports stereo to 7.1 surround sound dispersion and is mounted to the pipe grid and walls of the theatre. Loose speakers can be used to compliment this installation.

- PK Klarity8 700 Watt 2-way 8" Loudspeaker - 6
- PK Klarity12 700 Watt 2-way 12" Multipurpose Loudspeaker - 3
- PK Klarity18 1000 Watt 2-way 18" Subwoofer - 2



Loose Speakers

- PK KLARITY 12 700 Watt 2-way 12" Multipurpose Loudspeaker w/stands - 2
- PK KLARITY 8 700 Watt 2-way 8" Loudspeaker - 4
- PK KLARITY 18 1000 Watt 2-way 18" - 2

Microphones

- Astatic 22-Inch Condenser Cardioid Mini Gooseneck Microphone - 2
- Shure Combo Lav/Hand Wireless Mic - 3
- Shure SM58LC Vocal Mic - 4
- Shure SM57LC Instrument Mic - 2
- Shure SM27 Condenser Side - 2
- Shure SM94LC w/battery +48v - 2
- Shure DMK5752 Drum 4pc Mic Pack - 1
 - Shure SM57 - 3
 - Shure Beta52A - 1
 - Shure A56D - 3
- K&M Short Stand w/TeleBoom - 2
- K&M 259/1 Low Level Stand - 2
- K&M 251 Stand w/211/1 Boom - 12
- K&M Mic Stand w/Clutch - 4
- Digiflex 15' Tourflex Mic Cable - 6
- Digiflex 25' Tourflex Mic Cable - 18
- Digiflex 50' Tourflex Mic Cable XLR - 8

Music Stands

- On Stage SM7211B Tripod Music Stand Black - 3

Clearcom and Paging Communications

A Clearcom system is available with connections available at the Studio Theatre Control Booth entrance on level 1 and at level 2 desk, in the Foyer, Green Room and the southeast corner in the theatre.

- Clearcom CC-300 Headset Microphone - 6
- 20' XLR cables - 2
- Clearcom HB-702 2-Channel flush-mount headset station - 4
- Shure 450-II paging microphone in control booth



- Clearcom MS702 - Intercom Master Station with Gooseneck microphone

Assistive Listening

Listen Technologies equipment (with universal ear speaker and neck loop lanyard) to provide enhanced experience for 4 hearing impaired patrons.

Mobile Audio and Projector

Two mobile carts provide capacity to bring AV throughout the building and out into the park site.

Mobile Sound Cart

- Yamaha 12 Input Mixer w/FX - 1
- Denon DN500CB Bluetooth Player - 1
- Digiflex 6' Tourflex Mic Cable - 4
- Digiflex 25' Tourflex Mic Cable - 6
- DBX Dula 15 Band Equalizer - 1
- PC Cable 3.5mm/2XRCAM 15' Cable - 1
- Shure SM58LC Vocal Mic - 1

Mobile Projector Cart

- 5500 lumen Laser Projector - Panasonic PTMZ570U – 1

Level 1 and Level 2 Corridor Sound

The level 1 and 2 corridor AV is designed to support the multi-disciplinary use of the Studio Theatre and for use of the corridors for performance, gallery, reception, and workshop purposes with provisions for background music and public address. Sound may be routed to corridors together or independently from the control pads, or in conjunction with the Studio Theatre from the control booth.

- QSC CX204V amplifier
 - Tannoy DVS 6T - 6" DVS Series Stylish Surface Mount Loudspeaker with Transformer - 10
 - Biamp TEC-1i Surface Mount Ethernet Control Pad -2
 - Microphone and 1/8" stereo and RCA audio inputs
 - Tascam CD-200-BT - CD and Bluetooth media player



Staging Equipment

Theatre Riser Platforms

- 4' by 6' Stagetek Platforms w/ 16"-24" adjustable legs - 18
- 3' by 3' Stagetek Platforms w/ 16"-24" adjustable legs - 2
- 56' of black pleated drape @ 24"
- Legs 8" fixed - 80
- 3'-0" wide 2 Step Units w/rail - 2
- 3'-0" by 16" @ 8" high box step - 2
- 6'-0" Chair stops sections - 8
- 6'-0" Guard Rail - 4
- 4'-0" Guard Rail - 6

Furniture

- 30" cocktail tables @ 30" or 42" height available - 10
- Upholstered auditorium chairs - 100
- Podium w/condenser mic - 1
- Rolling Bar 66" by 24" @ 41" high w/ lower shelf - 1
- Plastic 72" by 24" folding tables - 10
- Plastic folding chairs - 10
- Easels - 25

Live Streaming/Recording

Take your show to the world using an in-house live streaming system.

- Panasonic AW-HE40 Pro PTZ Cameras - 4
 - 1080p30 (1920x1080) resolution
 - Remote Controllable (Pan/Tilt/Zoom/Focus/Iris)
 - Web Browser Interface over Ethernet
 - HDMI Output
- Wirecast Pro



- Switching/Producing software
- 5 Shot Layers 100 shots per
- Multimedia Library
- ISO Recordings
- Streaming Service Setup in Wirecast
- Multiview Programming
- Multi Track Streaming/Recording
 - Digico S21 used for audio routing
 - 8 Tracks
 - 48 Channels Per Track
- Elgato Stream Deck
 - Programmable Key Controller
 - Custom Actions
 - Promoted by Panasonic and Wirecast
- LG HD TV
 - High Definition
 - Multiview Screen
- 2021 MacBook Pro
 - 32GB Memory
 - Intel i7 Chip
 - AMD Radeon Graphics Card

Support Spaces

Spaces listed below may be booked separately or in conjunction with the Studio Theatre or may be used to support broader, building-wide events.

Red Room

Is a small support space that may be booked as a bar, coat check, and storage space.

- Located next to Level 1 corridor
- Immediate access to AV control
- Approximately 50 square feet of useable area
- Piano crypt
- Sink and small bar fridge

Green Room

A green room provides a backstage space for dressing rooms, staging for catering, and meeting space. Amenities include:

- Direct access to the Studio Theatre



- Sink and a fully accessible unisex washroom with shower
- Program sound speaker, wall-mounted volume control outlet box, and Clearcom connection
- Plastic tables and chairs are provided for dressing stations with wall mount mirror and power receptacles
- Pipe and drape from theatre may be available for light lock or demising space if not in use
- Rolling coat racks available

Note: Makeup stations and full length mirror not currently available.

Level 4 RGO Treehouse

The 'Treehouse' is a top-floor meeting and event space wrapped in an arts and design vibe. Featuring three sides of floor to ceiling windows and a panoramic exterior deck offering inspirational, tree-top views to the downtown, ArtPark and mountains. The Hallway Gallery (Floor 4) may be rented in conjunction with this space.

South Treehouse

- Built in Drop Projection Screen with 113" Image Diagonal
- 5500 lumen Laser Projector - Panasonic PTMZ570U
- Barco CSE-200 Wireless Presentation System
- HDMI/Mini DisplayPort Projector Connections
- Shure SM58LC Vocal Mic -1
- Shure Combo Lav/Hand Wireless Mic - 1
- 3.5mm Audio connection to Sound Mixer
- Microphone inputs - 3
- Owl Labs: [Meeting Owl 3](#): 360° Video Conferencing Camera

North Treehouse

- 2 short throw projectors and sound bar
- HDMI/Mini DisplayPort Projector Connections
- Owl Labs: [Meeting Owl 3](#): 360° Video Conferencing camera